

# Unisto Modular



High security tamper-evident adjustable length security seal with a robust construction that prevents accidental breakage (ribbon diameter 3.8 mm). This seal is very popular in industries such as Post/Courier Services, Chemicals and Transport. Various ribbon lengths. Optional bar-coding for efficient data capture. Available in a range of colours. The Unisto Modular seal is available with a removable sticky label which avoids any script error of the numbering (same number on both seal and label). This enables very fast and easy recording of seal numbers.

---

## Features of this security seal

### Type of Seal

Adjustable Length Seals

---

### Application

Bags, roll cages


---

- › Various colours for logistical colour coding
- › Customer name/logo for clear identification
- › Bar-coding ensures fast and accurate data capture
- › Notched ribbon fits several applications
- › Locking mechanism of POM increases security level

### Options

- › Removable adhesive label avoids any script error of the numbering (same number on both seal and label) Size: 10x40 mm, with possible bar code 2/5 interleaved or code 39
- › Tear-off facility allows removal of seal without use of tool
- › Mats of 2 to 10 seals (adhesive tape in the back to maintain them together) allows easy and controlled distribution of seals
- › Various sizes of tags

## Minimum size



## Unisto Modular 6800: technical Data

### Material

Seal: Polypropylene (PP) or polyamide (PA)

Locking mechanism: Polyoxymethylene (POM)

### Tensile strength (loop)

PP : approx. 25 kg / PA : approx. 36 kg

### Barcode & standard numbering

Black ink jet printed on white area

Interleaved 2/5, 7 digits with check digit

Interleaved 2/5, 8 digits without check digit barcode 39, 7 digits

barcode 128 C, 6 digits

Other on request

### Customer name/logo

Foil printed 1 colour or text in capital letters, black ink jet printed on a white area

### Tags

On request other size of tags

### Colours

White, red, blue, green, yellow, black


Other colours on request

### Packing

Bunches of 50 pieces, in boxes of 1000 seals

56 x 35.5 x 25 (0.050m<sup>3</sup>), approx. 4.8 kg

## Minimum size



## Unisto Modular 6801: technical Data

### Material

Seal: Polypropylene (PP) or polyamide (PA) Locking mechanism: Polyoxymethylene (POM)

### Tensile strength (loop)

PP : approx. 25 Kg / PA : approx. 36 Kg

### Barcode & standard numbering

Black ink jet printed on white area  
Interleaved 2/5, 7 digits with check digit  
Interleaved 2/5, 8 digits without check digit barcode 39, 7 digits  
barcode 128 C, 6 digits  
Other on request

### Customer name/logo

Foil printed 1 colour or text in capital letters, black ink jet printed on a white area

### Tags

On request other size of tags

### Ribbon length

250, 300 mm,  $\varnothing$  3,8 mm  
(367, 435 mm, on request)


### Colours

White, red, blue, green, yellow, black  
Other colours on request

### Packing

Bunches of 50 pieces, in boxes of 1000 seals  
56 x 35.5 x 25 (0.050m<sup>3</sup>), approx. 4.8 kg

## Minimum size



## Unisto Modular 6803: technical Data

### Material

Seal: Polypropylene (PP) or polyamide (PA)

Locking mechanism: Polyoxymethylene (POM)

### Tensile strength (loop)

PP : approx. 25 Kg / PA : approx. 36 Kg

### Barcode & standard numbering

Black ink jet printed on white area

Interleaved 2/5, 7 digits with check digit

Interleaved 2/5, 8 digits without check digit barcode 39, 7 digits

barcode 128 C, 6 digits

Other on request

### Customer name/logo

Foil printed 1 colour or text in capital letters, black ink jet printed on a white area

### Tags

On request other size of tags

### Ribbon length

250, 300 mm,  $\varnothing$  3,8 mm

(367, 435 mm, on request)

### Colours

White, red, blue, green, yellow, black

Other colours on request


### Packing

Bunches of 50 pieces, in boxes of 1000 seals

56 x 35,5 x 25 (0.050m<sup>3</sup>), approx. 4.8 kg



## How to close



309512 - 1000004